
E2 DATA SHEET

SPECIFICATIONS & PERFORMANCE

2” Bolted Plastic

with Metal Center Section

PERFORMANCE



NOTE: Performance based on the following: elastomeric fitted pump, flooded suction, water at ambient conditions. The use of other materials and varying hydraulic conditions may result in deviations in excess of 5%.

SPECIFICATIONS

Flow Rate

Adjustable to . .0-177 gpm (670 lpm)

Port Size

Suction 2” ANSI, 150 Class (DIN 50)

Discharge2” ANSI, 150 Class (DIN 50)

Air Inlet . . . . . 1/2” NPT

Air Exhaust . . . . . .1” NPT

Suction Lift

Dry . . . . . .16’ (4.9 m)

Wet . . . . . .32’ (9.8 m)

Max Solid Size (Diameter)

. . . . . .1/4” (6.3 mm)

Max Noise Level . . . . . 96 dB(A)


Shipping Weights

Polypropylene . . . . . 69 lbs (31.3 kg)

w/ center port options73 lbs (33.1 kg)

PVDF . . . . . 93 lbs (42.2 kg)

w/ center port options100 lbs (45.4 kg)



VERSAMATIC®

Warren Rupp, Inc. | A Unit of IDEX Corporation

800 North Main Street | Mansfield, OH 44902 USA

Phone: 419.526.7296 | Fax: 419.526.7289

VERSAMATIC.COM

e2nmdlCdsPB-rev0519

©Copyright 2019 Warren Rupp, Inc. All Rights Reserved.

VIPTech Distribution Germany & Austria: VIPTech GmbH · Lessingstraße 12 · 72663 Großbettlingen · Germany

Phone +49 7022 948735 · info@viptech.net · www.viptech.net · Shop & spare parts: aodd-pumpen.de

E2 DATA SHEET

SPECIFICATIONS & PERFORMANCE


2” Bolted Plastic
with Metal Center Section

DIMENSIONS

E2 Bolted Plastic

Dimensions in inches (mm dimensions in brackets)


The dimensions on this drawing are for reference only. A certified drawing can be requested if physical dimensions are needed.



E2 Bolted Plastic - Optional Center Porting

Dimensions in inches (mm dimensions in brackets)

The dimensions on this drawing are for reference only. A certified drawing can be requested if physical dimensions are needed.



VERSAMATIC®

Warren Rupp, Inc. | A Unit of IDEX Corporation
800 North Main Street | Mansfield, OH 44902 USA
Phone: 419.526.7296 | Fax: 419.526.7289

VERSAMATIC.COM

e2nmdlCdsPB-rev0519

©Copyright 2019 Warren Rupp, Inc. All Rights Reserved.

VIPTech

Your partner for Versamatic AODD pumps

VM E2 Bolted-Plastic Data Sheet

VIPTech GmbH
Lessingstraße 12
72663 Großbettlingen
Germany

Phone: +49 7022 948735
E-mail: info@viptech.net
Web: www.viptech.net
Online shop: aodd-pumpen.de

Sales, technical advice, spare parts and repair kits for Versamatic air-operated double diaphragm pumps - Germany and Austria.

aodd-pumpen.de

viptech.net

This document is the original manufacturer documentation (Warren Rupp, Inc. / Versamatic), supplemented with VIPTech contact details. Technical content unchanged.