
# E3 DATA SHEET

## SPECIFICATIONS & PERFORMANCE

# 3" Clamped Metal – ATEX

with Metal Center Section


## PERFORMANCE





NOTE: Performance based on the following: elastomeric fitted pump, flooded suction, water at ambient conditions. The use of other materials and varying hydraulic conditions may result in deviations in excess of 5%.

## SPECIFICATIONS

**Flow Rate**
Adjustable to . .0-234 gpm (886 lpm)
**Port Size**
Suction . . . . . 3" NPT (BSP)
Discharge . . . . . 3" NPT (BSP)
**Air Inlet** . . . . . 1/2" NPT
**Air Exhaust** . . . . . .1" NPT
**Suction Lift**
Dry . . . . . .20' (6.1 m)
Wet . . . . . .32' (9.8 m)
**Max Solid Size** (Diameter)
. . . . . 3/8" (9.5 mm)
**Max Noise Level** . . . . . 96 dB(A)
**Shipping Weights**
Aluminum . . . . . 108 lbs (49.0 kg)
Cast Iron . . . . . 205 lbs (93 kg)
Stainless . . . . . 183 lbs (83 kg)
** Stainless Center add 50 lbs. (22.7 kg)





VERSAMATIC®


**Warren Rupp, Inc. | A Unit of IDEX Corporation**
**800 North Main Street | Mansfield, OH 44902 USA**
**Phone: 419.526.7296 | Fax: 419.526.7289**


**VERSAMATIC.COM**

e3mdlCdsATEXC-rev0519


**©Copyright 2019 Warren Rupp, Inc. All Rights Reserved.**

# E3 DATA SHEET

## SPECIFICATIONS & PERFORMANCE


# 3” Clamped Metal – ATEX

with Metal Center Section

## DIMENSIONS


### E3 Clamped Metal - Aluminum

Dimensions in inches (metric dimensions in brackets). Dimensional Tolerance .125" (3mm).




### E3 Clamped Metal - Aluminum with Base

Dimensions in inches (metric dimensions in brackets). Dimensional Tolerance .125" (3mm).




VERSAMATIC®


**Warren Rupp, Inc. | A Unit of IDEX Corporation**
**800 North Main Street | Mansfield, OH 44902 USA**
**Phone: 419.526.7296 | Fax: 419.526.7289**

**VERSAMATIC.COM**



e3mdlCdsATEXC-rev0519



**©Copyright 2019 Warren Rupp, Inc. All Rights Reserved.**



VIPTech Distribution Germany & Austria: VIPTech GmbH · Lessingstraße 12 · 72663 Großbettlingen · Germany
Phone +49 7022 948735 · info@viptech.net · www.viptech.net · Shop & spare parts: aodd-pumpen.de

# E3 DATA SHEET

## SPECIFICATIONS & PERFORMANCE


# 3” Clamped Metal – ATEX

with Metal Center Section

## DIMENSIONS


### E3 Clamped Metal - Cast Iron

Dimensions in inches (metric dimensions in brackets). Dimensional Tolerance .125" (3mm).




### E3 Clamped Metal - Stainless Steel

Dimensions in inches (metric dimensions in brackets). Dimensional Tolerance .125" (3mm).




VERSAMATIC®


**Warren Rupp, Inc. | A Unit of IDEX Corporation**
**800 North Main Street | Mansfield, OH 44902 USA**
**Phone: 419.526.7296 | Fax: 419.526.7289**

VERSAMATIC.COM



e3mdlCdsATEXC-rev0519



**©Copyright 2019 Warren Rupp, Inc. All Rights Reserved.**



VIPTech Distribution Germany & Austria: VIPTech GmbH · Lessingstraße 12 · 72663 Großbettlingen · Germany
Phone +49 7022 948735 · info@viptech.net · www.viptech.net · Shop & spare parts: aodd-pumpen.de

VIPTech

## Your partner for Versamatic AODD pumps

VM E3 Clamped-Metal Data Sheet

**VIPTech GmbH**
Lessingstraße 12
72663 Großbettlingen
Germany

Phone: +49 7022 948735
E-mail: info@viptech.net
Web: www.viptech.net
Online shop: aodd-pumpen.de

Sales, technical advice, spare parts and repair kits for Versamatic air-operated double diaphragm pumps - Germany and Austria.

aodd-pumpen.de

viptech.net

This document is the original manufacturer documentation (Warren Rupp, Inc. / Versamatic), supplemented with VIPTech contact details. Technical content unchanged.