
U2 DATA SHEET

SPECIFICATIONS & PERFORMANCE

2” Bolted Plastic
with Plastic Center Sections


PERFORMANCE



NOTE: Performance based on the following: elastomeric fitted pump, flooded suction, water at ambient conditions. The use of other materials and varying hydraulic conditions may result in deviations in excess of 5%.

SPECIFICATIONS

Flow Rate
Adjustable to . . . 0-192 gpm (727 lpm)
Port Size
Suction . . 2” ANSI 150 Class (DIN 50)
Discharge . . . . . .
. . . . . .2” ANSI 150 Class (DIN 50)
Air Inlet . . . . . .1/2” NPT
Air Exhaust . . . . . .3/4” NPT
Suction Lift (Dry)
Rubber . . . . . 20’ (6.10 m)
PTFE. . . . . 10’ (3.05 m)
Max Solid Size (Diameter)
. . . . . .1/4” (6 mm)
Shipping Weights
Polypropylene . . . . . .67 lbs (30 kg)
. . . w/ center port option 71 lbs (31.8)
PVDF . . . . . .93 lbs (42 kg)
. w / center port option 100 lbs (45.1)



VERSAMATIC®

Warren Rupp, Inc. | A Unit of IDEX Corporation
800 North Main Street | Mansfield, OH 44902 USA
Phone: 419.526.7296 | Fax: 419.526.7289
VERSAMATIC.COM

u2nsm-rev0519

©Copyright 2019 Warren Rupp, Inc. All Rights Reserved.

VIPTech Distribution Germany & Austria: VIPTech GmbH · Lessingstraße 12 · 72663 Großbettlingen · Germany
Phone +49 7022 948735 · info@viptech.net · www.viptech.net · Shop & spare parts: aodd-pumpen.de

U2 DATA SHEET


SPECIFICATIONS & PERFORMANCE

2” Bolted Plastic
with Plastic Center Sections


U2 Bolted Plastic - End Ported

Dimensions in inches (mm dimensions in brackets)


The dimensions on this drawing are for reference only. A certified drawing can be requested if physical dimensions are needed.



FRONT VIEW



SIDE VIEW




BOTTOM VIEW


U2 Plastic Bolted - Center Ported

Dimensions in inches (mm dimensions in brackets)


The dimensions on this drawing are for reference only. A certified drawing can be requested if physical dimensions are needed.



FRONT VIEW



SIDE VIEW



BOTTOM VIEW

VERSAMATIC®

Warren Rupp, Inc. | A Unit of IDEX Corporation
800 North Main Street | Mansfield, OH 44902 USA
Phone: 419.526.7296 | Fax: 419.526.7289

VERSAMATIC.COM

u2nsm-rev0519

©Copyright 2019 Warren Rupp, Inc. All Rights Reserved.

VIPTech Distribution Germany & Austria: VIPTech GmbH · Lessingstraße 12 · 72663 Großbettlingen · Germany
Phone +49 7022 948735 · info@viptech.net · www.viptech.net · Shop & spare parts: aodd-pumpen.de

VIPTech

Your partner for Versamatic AODD pumps

VM U2 Bolted-Plastic Data Sheet

VIPTech GmbH
Lessingstraße 12
72663 Großbettlingen
Germany

Phone: +49 7022 948735
E-mail: info@viptech.net
Web: www.viptech.net
Online shop: aodd-pumpen.de

Sales, technical advice, spare parts and repair kits for Versamatic air-operated double diaphragm pumps - Germany and Austria.

aodd-pumpen.de

viptech.net

This document is the original manufacturer documentation (Warren Rupp, Inc. / Versamatic), supplemented with VIPTech contact details. Technical content unchanged.